

**5,000 GALLON UNDERGROUND TANK CAPACITY CHART -  
96" DIA. X 13'4" SHELL LENGTH**

LEVEL	GALLONS	LEVEL	GALLONS	LEVEL	GALLONS	LEVEL	GALLONS	LEVEL	GALLONS	LEVEL	GALLONS
*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
0.13	5.97	6.13	158.21	12.13	402.54	18.13	702.92	24.13	1042.75	30.13	1410.89
0.25	7.52	6.25	162.56	12.25	408.30	18.25	709.64	24.25	1050.16	30.25	1418.80
0.38	9.19	6.38	166.94	12.38	414.08	18.38	716.38	24.38	1057.59	30.38	1426.71
0.50	10.96	6.50	171.36	12.50	419.89	18.50	723.14	24.50	1065.02	30.50	1434.64
0.63	12.83	6.63	175.82	12.63	425.72	18.63	729.91	24.63	1072.47	30.63	1442.57
0.75	14.80	6.75	180.31	12.75	431.57	18.75	736.70	24.75	1079.94	30.75	1450.51
0.88	16.86	6.88	184.84	12.88	437.44	18.88	743.50	24.88	1087.41	30.88	1458.45
1.00	19.00	7.00	189.40	13.00	443.34	19.00	750.32	25.00	1094.90	31.00	1466.41
1.13	21.22	7.13	194.00	13.13	449.26	19.13	757.16	25.13	1102.39	31.13	1474.37
1.25	23.53	7.25	198.63	13.25	455.21	19.25	764.02	25.25	1109.90	31.25	1482.34
1.38	25.91	7.38	203.29	13.38	461.17	19.38	770.89	25.38	1117.42	31.38	1490.32
1.50	28.37	7.50	207.99	13.50	467.16	19.50	777.77	25.50	1124.95	31.50	1498.31
1.63	30.89	7.63	212.72	13.63	473.17	19.63	784.67	25.63	1132.50	31.63	1506.31
1.75	33.49	7.75	217.48	13.75	479.20	19.75	791.59	25.75	1140.05	31.75	1514.31
1.88	36.15	7.88	222.28	13.88	485.26	19.88	798.52	25.88	1147.61	31.88	1522.32
2.00	38.88	8.00	227.10	14.00	491.33	20.00	805.47	26.00	1155.19	32.00	1530.34
2.13	41.68	8.13	231.96	14.13	497.43	20.13	812.43	26.13	1162.78	32.13	1538.36
2.25	44.53	8.25	236.85	14.25	503.55	20.25	819.41	26.25	1170.38	32.25	1546.39
2.38	47.45	8.38	241.77	14.38	509.68	20.38	826.40	26.38	1177.98	32.38	1554.43
2.50	50.42	8.50	246.72	14.50	515.84	20.50	833.41	26.50	1185.60	32.50	1562.48
2.63	53.46	8.63	251.71	14.63	522.02	20.63	840.44	26.63	1193.23	32.63	1570.53
2.75	56.55	8.75	256.72	14.75	528.22	20.75	847.47	26.75	1200.87	32.75	1578.60
2.88	59.70	8.88	261.76	14.88	534.45	20.88	854.53	26.88	1208.53	32.88	1586.66
3.00	62.90	9.00	266.83	15.00	540.69	21.00	861.59	27.00	1216.19	33.00	1594.74
3.13	66.15	9.13	271.93	15.13	546.95	21.13	868.68	27.13	1223.86	33.13	1602.82
3.25	69.46	9.25	277.06	15.25	553.23	21.25	875.77	27.25	1231.54	33.25	1610.91
3.38	72.82	9.38	282.22	15.38	559.53	21.38	882.88	27.38	1239.23	33.38	1619.01
3.50	76.23	9.50	287.41	15.50	565.85	21.50	890.01	27.50	1246.94	33.50	1627.11
3.63	79.69	9.63	292.62	15.63	572.19	21.63	897.15	27.63	1254.65	33.63	1635.22
3.75	83.19	9.75	297.87	15.75	578.55	21.75	904.30	27.75	1262.37	33.75	1643.34
3.88	86.75	9.88	303.14	15.88	584.93	21.88	911.47	27.88	1270.10	33.88	1651.46
4.00	90.35	10.00	308.44	16.00	591.33	22.00	918.65	28.00	1277.85	34.00	1659.59
4.13	94.00	10.13	313.77	16.13	597.75	22.13	925.84	28.13	1285.60	34.13	1667.72
4.25	97.70	10.25	319.12	16.25	604.19	22.25	933.05	28.25	1293.36	34.25	1675.86
4.38	101.44	10.38	324.50	16.38	610.64	22.38	940.27	28.38	1301.13	34.38	1684.01
4.50	105.22	10.50	329.91	16.50	617.12	22.50	947.51	28.50	1308.91	34.50	1692.17
4.63	109.05	10.63	335.34	16.63	623.61	22.63	954.75	28.63	1316.70	34.63	1700.33
4.75	112.92	10.75	340.80	16.75	630.12	22.75	962.02	28.75	1324.50	34.75	1708.49
4.88	116.84	10.88	346.29	16.88	636.65	22.88	969.29	28.88	1332.31	34.88	1716.66
5.00	120.79	11.00	351.80	17.00	643.20	23.00	976.58	29.00	1340.13	35.00	1724.84
5.13	124.79	11.13	357.34	17.13	649.76	23.13	983.88	29.13	1347.95	35.13	1733.03
5.25	128.83	11.25	362.90	17.25	656.34	23.25	991.19	29.25	1355.79	35.25	1741.22
5.38	132.91	11.38	368.49	17.38	662.95	23.38	998.52	29.38	1363.64	35.38	1749.41
5.50	137.03	11.50	374.10	17.50	669.56	23.50	1005.86	29.50	1371.49	35.50	1757.61
5.63	141.19	11.63	379.74	17.63	676.20	23.63	1013.21	29.63	1379.35	35.63	1765.82
5.75	145.39	11.75	385.40	17.75	682.85	23.75	1020.58	29.75	1387.22	35.75	1774.03
5.88	149.62	11.88	391.09	17.88	689.53	23.88	1027.95	29.88	1395.11	35.88	1782.25
6.00	153.90	12.00	396.80	18.00	696.21	24.00	1035.34	30.00	1402.99	36.00	1790.48

PREPARED BY GEORGE I. REITZ AND SONS, INC. - BROOKVILLE, PA 15825 - (814) 849-2308  
THIS TANK CHART COMPENSATES FOR STRIKER PLATES AND HEAD VOLUMES.

**5,000 GALLON UNDERGROUND TANK CAPACITY CHART -  
96" DIA. X 13'4" SHELL LENGTH**

LEVEL	GALLONS	LEVEL	GALLONS	LEVEL	GALLONS	LEVEL	GALLONS	LEVEL	GALLONS	LEVEL	GALLONS
*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
36.13	1798.71	42.13	2198.82	48.13	2604.56	54.13	3009.49	60.13	3407.18	66.13	3790.81
36.25	1806.94	42.25	2207.24	48.25	2613.03	54.25	3017.88	60.25	3415.34	66.25	3798.60
36.38	1815.18	42.38	2215.66	48.38	2621.49	54.38	3026.26	60.38	3423.50	66.38	3806.38
36.50	1823.42	42.50	2224.08	48.50	2629.96	54.50	3034.63	60.50	3431.64	66.50	3814.15
36.63	1831.67	42.63	2232.51	48.63	2638.43	54.63	3043.00	60.63	3439.79	66.63	3821.91
36.75	1839.93	42.75	2240.93	48.75	2646.89	54.75	3051.37	60.75	3447.92	66.75	3829.66
36.88	1848.19	42.88	2249.36	48.88	2655.35	54.88	3059.74	60.88	3456.05	66.88	3837.40
37.00	1856.45	43.00	2257.79	49.00	2663.82	55.00	3068.10	61.00	3464.17	67.00	3845.14
37.13	1864.72	43.13	2266.23	49.13	2672.28	55.13	3076.46	61.13	3472.29	67.13	3852.86
37.25	1873.00	43.25	2274.66	49.25	2680.74	55.25	3084.81	61.25	3480.40	67.25	3860.57
37.38	1881.28	43.38	2283.10	49.38	2689.20	55.38	3093.16	61.38	3488.50	67.38	3868.27
37.50	1889.56	43.50	2291.54	49.50	2697.66	55.50	3101.51	61.50	3496.60	67.50	3875.97
37.63	1897.85	43.63	2299.98	49.63	2706.12	55.63	3109.85	61.63	3504.69	67.63	3883.65
37.75	1906.14	43.75	2308.42	49.75	2714.58	55.75	3118.19	61.75	3512.77	67.75	3891.32
37.88	1914.44	43.88	2316.87	49.88	2723.03	55.88	3126.53	61.88	3520.84	67.88	3898.98
38.00	1922.74	44.00	2325.31	50.00	2731.49	56.00	3134.86	62.00	3528.91	68.00	3906.63
38.13	1931.05	44.13	2333.76	50.13	2739.94	56.13	3143.19	62.13	3536.97	68.13	3914.27
38.25	1939.36	44.25	2342.21	50.25	2748.40	56.25	3151.51	62.25	3545.03	68.25	3921.90
38.38	1947.68	44.38	2350.66	50.38	2756.85	56.38	3159.83	62.38	3553.07	68.38	3929.52
38.50	1956.00	44.50	2359.11	50.50	2765.30	56.50	3168.15	62.50	3561.11	68.50	3937.13
38.63	1964.32	44.63	2367.56	50.63	2773.75	56.63	3176.46	62.63	3569.15	68.63	3944.73
38.75	1972.65	44.75	2376.02	50.75	2782.19	56.75	3184.76	62.75	3577.17	68.75	3952.32
38.88	1980.98	44.88	2384.47	50.88	2790.64	56.88	3193.07	62.88	3585.19	68.88	3959.89
39.00	1989.31	45.00	2392.93	51.00	2799.08	57.00	3201.36	63.00	3593.20	69.00	3967.46
39.13	1997.65	45.13	2401.39	51.13	2807.53	57.13	3209.66	63.13	3601.20	69.13	3975.01
39.25	2006.00	45.25	2409.85	51.25	2815.97	57.25	3217.95	63.25	3609.20	69.25	3982.55
39.38	2014.35	45.38	2418.31	51.38	2824.41	57.38	3226.23	63.38	3617.18	69.38	3990.09
39.50	2022.70	45.50	2426.77	51.50	2832.84	57.50	3234.51	63.50	3625.16	69.50	3997.61
39.63	2031.05	45.63	2435.23	51.63	2841.28	57.63	3242.78	63.63	3633.13	69.63	4005.11
39.75	2039.41	45.75	2443.69	51.75	2849.71	57.75	3251.05	63.75	3641.10	69.75	4012.61
39.88	2047.77	45.88	2452.15	51.88	2858.14	57.88	3259.32	63.88	3649.05	69.88	4020.10
40.00	2056.14	46.00	2460.62	52.00	2866.57	58.00	3267.58	64.00	3657.00	70.00	4027.57
40.13	2064.50	46.13	2469.08	52.13	2875.00	58.13	3275.83	64.13	3664.94	70.13	4035.03
40.25	2072.88	46.25	2477.55	52.25	2883.42	58.25	3284.08	64.25	3672.87	70.25	4042.48
40.38	2081.25	46.38	2486.01	52.38	2891.85	58.38	3292.33	64.38	3680.79	70.38	4049.92
40.50	2089.63	46.50	2494.48	52.50	2900.27	58.50	3300.57	64.50	3688.71	70.50	4057.35
40.63	2098.01	46.63	2502.94	52.63	2908.69	58.63	3308.80	64.63	3696.62	70.63	4064.76
40.75	2106.40	46.75	2511.41	52.75	2917.10	58.75	3317.03	64.75	3704.51	70.75	4072.16
40.88	2114.79	46.88	2519.88	52.88	2925.51	58.88	3325.25	64.88	3712.40	70.88	4079.55
41.00	2123.18	47.00	2528.35	53.00	2933.92	59.00	3333.47	65.00	3720.28	71.00	4086.93
41.13	2131.57	47.13	2536.81	53.13	2942.33	59.13	3341.69	65.13	3728.15	71.13	4094.29
41.25	2139.97	47.25	2545.28	53.25	2950.74	59.25	3349.89	65.25	3736.02	71.25	4101.65
41.38	2148.37	47.38	2553.75	53.38	2959.14	59.38	3358.09	65.38	3743.87	71.38	4108.99
41.50	2156.77	47.50	2562.23	53.50	2967.54	59.50	3366.29	65.50	3751.72	71.50	4116.31
41.63	2165.17	47.63	2570.69	53.63	2975.94	59.63	3374.48	65.63	3759.55	71.63	4123.63
41.75	2173.58	47.75	2579.16	53.75	2984.33	59.75	3382.66	65.75	3767.38	71.75	4130.93
41.88	2181.99	47.88	2587.63	53.88	2992.72	59.88	3390.84	65.88	3775.20	71.88	4138.22
42.00	2190.41	48.00	2596.10	54.00	3001.11	60.00	3399.01	66.00	3783.01	72.00	4145.49

PREPARED BY GEORGE I. REITZ AND SONS, INC. - BROOKVILLE, PA 15825 - (814) 849-2308  
THIS TANK CHART COMPENSATES FOR STRIKER PLATES AND HEAD VOLUMES.

**5,000 GALLON UNDERGROUND TANK CAPACITY CHART -  
96" DIA. X 13'4" SHELL LENGTH**

LEVEL	GALLONS	LEVEL	GALLONS	LEVEL	LEVEL	LEVEL	GALLONS						
*****	*****	*****	*****	*****	*****	*****	*****						
72.13	4152.75	78.13	4483.90	84.13	4772.16	90.13	4998.46						
72.25	4160.00	78.25	4490.39	84.25	4777.60	90.25	5002.28						
72.38	4167.24	78.38	4496.87	84.38	4783.01	90.38	5006.07						
72.50	4174.46	78.50	4503.32	84.50	4788.39	90.50	5009.81						
72.63	4181.67	78.63	4509.76	84.63	4793.74	90.63	5013.51						
72.75	4188.86	78.75	4516.18	84.75	4799.07	90.75	5017.15						
72.88	4196.04	78.88	4522.57	84.88	4804.37	90.88	5020.76						
73.00	4203.21	79.00	4528.95	85.00	4809.64	91.00	5024.31						
73.13	4210.36	79.13	4535.31	85.13	4814.88	91.13	5027.82						
73.25	4217.50	79.25	4541.65	85.25	4820.10	91.25	5031.28						
73.38	4224.62	79.38	4547.98	85.38	4825.29	91.38	5034.69						
73.50	4231.74	79.50	4554.28	85.50	4830.44	91.50	5038.05						
73.63	4238.83	79.63	4560.56	85.63	4835.57	91.63	5041.36						
73.75	4245.91	79.75	4566.82	85.75	4840.68	91.75	5044.61						
73.88	4252.98	79.88	4573.06	85.88	4845.75	91.88	5047.81						
74.00	4260.03	80.00	4579.28	86.00	4850.79	92.00	5050.96						
74.13	4267.07	80.13	4585.48	86.13	4855.80	92.13	5054.05						
74.25	4274.10	80.25	4591.66	86.25	4860.78	92.25	5057.08						
74.38	4281.10	80.38	4597.82	86.38	4865.74	92.38	5060.06						
74.50	4288.10	80.50	4603.96	86.50	4870.66	92.50	5062.98						
74.63	4295.08	80.63	4610.08	86.63	4875.55	92.63	5065.83						
74.75	4302.04	80.75	4616.18	86.75	4880.40	92.75	5068.63						
74.88	4308.99	80.88	4622.25	86.88	4885.23	92.88	5071.35						
75.00	4315.92	81.00	4628.30	87.00	4890.03	93.00	5074.02						
75.13	4322.84	81.13	4634.34	87.13	4894.79	93.13	5076.62						
75.25	4329.74	81.25	4640.35	87.25	4899.52	93.25	5079.14						
75.38	4336.62	81.38	4646.33	87.38	4904.22	93.38	5081.60						
75.50	4343.49	81.50	4652.30	87.50	4908.88	93.50	5083.98						
75.63	4350.35	81.63	4658.24	87.63	4913.51	93.63	5086.28						
75.75	4357.18	81.75	4664.16	87.75	4918.11	93.75	5088.51						
75.88	4364.00	81.88	4670.06	87.88	4922.67	93.88	5090.65						
76.00	4370.81	82.00	4675.94	88.00	4927.20	94.00	5092.71						
76.13	4377.60	82.13	4681.79	88.13	4931.69	94.13	5094.67						
76.25	4384.37	82.25	4687.62	88.25	4936.15	94.25	5096.55						
76.38	4391.13	82.38	4693.43	88.38	4940.57	94.38	5098.32						
76.50	4397.87	82.50	4699.21	88.50	4944.95	94.50	5099.98						
76.63	4404.59	82.63	4704.97	88.63	4949.30	94.63	5101.53						
76.75	4411.29	82.75	4710.71	88.75	4953.61	94.75	5102.96						
76.88	4417.98	82.88	4716.42	88.88	4957.89	94.88	5104.25						
77.00	4424.65	83.00	4722.10	89.00	4962.12	95.00	5105.39						
77.13	4431.31	83.13	4727.77	89.13	4966.32	95.13	5106.36						
77.25	4437.94	83.25	4733.40	89.25	4970.48	95.25	5107.10						
77.38	4444.56	83.38	4739.02	89.38	4974.60	95.38	5107.51						
77.50	4451.16	83.50	4744.61	89.50	4978.68								
77.63	4457.75	83.63	4750.17	89.63	4982.71								
77.75	4464.31	83.75	4755.71	89.75	4986.71								
77.88	4470.86	83.88	4761.22	89.88	4990.67								
78.00	4477.39	84.00	4766.70	90.00	4994.58								